
Principal: Mr. John O'Donovan Deputy Principal: Ms. Anne Cummins



Ballybunion, Co. Kerry.
Telephone: 068 27205 Fax: 068 27511
Mobile: 086 269 0621
Email: sjsb@ireland.com

Risk Assessments to minimise the risk of being exposed to Covid-19

St Joseph's Secondary School Ballybunion

August 2020

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the Board of Management in St. Joseph's to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Joseph's in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A **hazard** is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating.

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Covid-19 Policy Statement

St. Joseph's is committed to providing a safe and healthy workplace for all our staff and students. To ensure that, the Board of Management have developed a Covid-19 Response Plan and updated the Safety Statement for the school. All staff and students are responsible for the implementation of the response plan and a combined effort will help contain the spread of the virus. The Board of Management will:

- continue to monitor our Covid-19 response and amend this plan in consultation with our staff and students
- provide up to date information to our staff and students on the Public Health advice issued by the HSE and Gov.ie
- display information on the signs and symptoms of Covid-19 and correct hand-washing techniques
- provide an adequate number of trained Worker Representative(s) who are easily identifiable and put in place a reporting system
- inform all staff and students of essential hygiene and respiratory etiquette and physical distancing requirements
- adapt the school to facilitate physical distancing as appropriate in line with guidance of the Department of Education and Skills
- keep a log of contact of staff and student engagement to help with contact tracing
- ensure staff and students engage with the online induction/familiarisation briefing provided by the Department of Education and Skills
- implement the agreed procedures to be followed in the event of someone showing symptoms of Covid-19 while at school
- provide instructions for staff and students to follow if they develop signs and symptoms of Covid-19 during school time in line with the procedures provided by the Department of Education and Skills
- implement cleaning in line with government advice and agreed checklists

All staff and students will be consulted on an ongoing basis and feedback is encouraged on any concerns, issues or suggestions. This can be done through the Worker Representative(s).

Signed:	Date:	
Chairperson, Board of Management		
Signed:	Date:	
Principal		

Who may be	Identified Risks	Risk Communication, Education and Training		Action implementation
affected?		Controls	with controls	
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school. The staff representative(s) will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within the school and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches. The Board of Management will: Ensure that all staff receive necessary training prior to returning to work Provide posters, information and electronic message boards to increase awareness of Covid-19 among staff and students Promote safe individual practices within the school campus Engage with staff in providing feedback on the preventive measures and their effectiveness Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation Emphasise the effectiveness of adopting protective measures especially good personal hygiene Provide specific training in the proper use of PPE for staff	Negligible	Board of Management Principal Staff
Risk Level Calculati a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mo vent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Hygiene	Risk Rating	Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Managment will ensure that all staff can wash their hands regularly. Hot water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout the school. Soap will be neutral and non-perfumed to minimise risk of skin damage. Staff should: Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use Cover their mouth and nose with a tissue or their sleeve when coughing and sneezing. Put used tissues into a bin and wash their hands Develop a routine of incresed cleaning and disinfecting of frequently touched objects and surfaces The Board of Management will supply required cleaning products, will ensure the correct use and storage of disinfectants and will ensure all products are stored safely and securely. No employees are permitted to attend work if they display any of the symptoms below: Fever (temperature of 37.5 degrees or above) Cough Shortness of breath Breathing difficulties Any personnel displaying symptoms must self-isolate and not attend work for 14 days. Any staff member living with someone who is self-isolating or waiting for a Covid-19 test must restrict their movements for 14 days. Any persons who has tested positive for Covid 19 must not return to work until deemed fit to do so and upon approval of their medical advisor. Staff can follow https://www2.hse.ie/ for regular updates or can contact HSELive for advice	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculat (a) Severity of risk, (b) Likelihood of ev (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mode vent 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 4, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Hygiene (continued)	Risk Rating	Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will ensure that: Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds). Appropriate social distancing markings are in place Necessary PPE is available to staff Standard cleaning and maintenance regimes are put in place and detailed records retained Toilet facilities are cleaned regularly All drinking water facilities will be shut down Equipment sharing is minimised. Staff are encouraged not to share equipment There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) All school equipment is sanitised — cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people Covid compliant work areas to be available where social distancing guidelines can be applied There is staggered use of canteen/kitchen or other communal facilities Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow All waste collection points are emptied regularly throughout and at the end of each day. Staff use gloves when removing rubbish bags or handling and disposing of any rubbish. Wash hands with soap and water for at least 20 seconds afterwards	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of ris (b) Likelihood of (c) Risk Rating = (k/injury 1=trivial, 2=slight, 3=mode event 1=rare, 2=unlikely, 3=likely	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date	: June, 2020	<u>Assessor's Name</u> :		

Who may be	Identified Risks	Social Distancing	Risk Rating	Action implementation
affected?		Controls	with controls	
All staff Students Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	Physical distancing is a key control measure in reducing the spread of infection. The Board Mangement will ensure that: ✓ all persons will adhere to relevant social distancing rules in relation to entering the school facility, use of welfare facilities and while working in the school physical spacing at least 2 metres apart for work stations and common spaces, such entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of vcisitors might occur ✓ shared spaces such as changing and lockers rooms will be locked, if possible. If this is not possible their use will be staggered between the different groups and the area will be cleaned and disinfected between use Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Appropriate social distancing arangements will be in place throughout the facility The need for for physical meetings will be minimised (by using teleconferencing facilities) There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons far as possible Where 2 metre distance cannot be maintained (DES guidance awaited)	-	Board of Management Principal Staff Visitors
Risk Level Calculatio	 Loss of sense of taste or distortion of sense of taste Death 	Requirements for personnel working within 2 metres of each other (where activity cannot suspended): Very No worker has symptoms of Covid-19 The close contact work cannot be avoided Installation of physical barriers e.g. clear plastic sneeze guards PPE is present in line with the approved risk assessment (full face mask, gloves, etc) and public health advice An exclusion zone for <2m work will be set up pre task commencement Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly Risk Level Action	Serious	
(a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	1-5 Trivial risk Acceptable oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Cleaning	Risk Rating	Action implementation
affected?		Controls	with controls	
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Staff are responsible for cleaning personal items that have been brought to work and items handled at work or during breaks. Staff advised to clean personal items that they have bring to work (e.g. mobile phones) and to avoid leaving them down on communal surfaces or they will need to clean the surface after the personal item is removed ✓ Cleaning staff will be trained in the new cleaning arrangements for the school ✓ Sufficient cleaning materials and PPE will be available to allow for increased cleaning ✓ Cleaning staff will be instructed to wear gloves when cleaning and are aware of the need to wash their hands thoroughly with soap and water, both before and after wearing gloves ✓ System in place for the disposable of cleaning cloths and used wipes in a rubbish bag Current HSE guidance recommends waste such as cleaning waste, tissues etc. from a person suspected of having Covid-19 should be double bagged and stored in a secure area for 72 hours before being presented for general waste collection ✓ System in place to make sure reusable cleaning equipment including mop heads and non-disposable cloths are clean before re-use ✓ System in place to ensure that equipment such as buckets are emptied and cleaned with a fresh solution of disinfectant before re-use 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a)	mjury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	Risk Level Action derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Office and admini	stration areas	Risk Rating	Action implementation
affected?		Controls		with controls	
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 physical distancing between designated When working within an office, staff sho that ensure a minimum 2 metre phys purpose, staff may, therefore, on occasion other than their own normal designated The number of employees permitted to 	uld ensure that they only utilise workstations sical distance from other persons. For this on be required to utilise another workstation	Requires monitoring	Board of Management Principal Administration staff
Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mo yent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 6-1 11-	k <u>Level Action</u> Trivial risk Acceptable O Medium risk Requires monitoring 15 Severe risk Requires immediate furth 25 Emergency risk Halt activity and review ir		ntrol
Assessment Date:	June, 2020	Ass	essor's Name:		

Who may be	Identified Risks	Use of PPE		Action implementation
affected?		Controls	with controls	
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The correct use of Personal Protective Equipment (PPE) such as face shields/visors or clear plastic barriers or Perspex screens etc. may be required in some circumstances to address identified risks of spread of the virus. It would be expected that, following a risk assessment of tasks, a limited number of employees will be required to use PPE for work activities. Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face-masks-disposable-gloves.html Face masks will be provided to all staff and are available for optional use. Gloves are not required generally within the workplace for infection prevention and control purposes according to current guidance. Due to the risks associated with the usage of gloves, the Board of Management will not be providing gloves to staff for general use. *Face coverings are not recommended to be worn by children under 13 years.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	<u>Assessor's Name</u> :		

Who may be	Identified Risks	Handling books and other resources during Covid-19	Risk Rating with controls	Action implementation
affected?		Controls		
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management has to prepare for the return of school books (book rental scheme) and other resource materials (including IT equipment) so that these will be available to students for the start of the new school year. The following guidelines are recommended for staff when receiving or assisting in compiling resource packs: • Maintain physical distancing (currently 2 metres) • Observe good hygiene (hand washing and respiratory etiquette, do not touch your eyes, nose, mouth with unwashed hands, etc.) before and after handling books and other materials returned to the school • Follow the agreed school protocols if you are displaying symptoms of Covid-19 • Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. Quarantining means placing these items in sealed boxes that are labelled with the time and date of the start of the 72-hour quarantine period. These boxes should be stored in a separate location away from active work areas within the school • Following the expiry of the 72-hour quarantine period the items may be unboxed, cleaned and prepared for the next school year • Hands should be washed in line with relevant guidance		Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	<u>Assessor's Name</u> :		

Who may be	-	Using hand tools or equipment Controls		Action implementation
affected?				
All staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death	 ✓ Staff must wear the appropriate PPE for the nature of the work that they are undertaking ✓ All tools and equipment must be properly sanitised to prevent cross contamination ✓ Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable ✓ Cleaning material will be available so that all tools can be wiped down with disinfectant between each use ✓ Work practices are organised to eliminate or reduce transmission points and staff are trained in realtion to the same ✓ All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use 	Requires monitoring	Board of Management Principal Staff
tisk Level Calculati a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mo vent 1=rare, 2=unlikely, 3=like	Risk Level Action derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in Assessor's Name:		ntrol

Who may be	Identified Risks	Dealing with a suspected case of Covid-19	Risk Rating with controls	Action implementation
affected?		Controls		
Staff Students Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will: Appoint an appropriate person for dealing with suspected cases. This person could be the Covid supervisor Have a designated isolation area available within the school building. The designated area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. Assess whether the individual who is displaying symptoms can immediately be directed to go home and call their doctor and continue self-isolation at home. Facilitate the person presenting with symptoms remaining in isolation if they cannot immediately go home and facilitate them calling their doctor. The individual should avoid touching people, surfaces and objects. Advice should be given to the person presenting with symptoms to cover their mouth and nose with the disposable tissue provided when they cough or sneeze and put the tissue in the waste bag provided	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo rent 1=rare, 2=unlikely, 3=like	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Acceptable 1-8 Acceptable 1-9 Acceptable 1-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Dealing with a suspected case of Covid-19 (continued)	Risk Rating with controls	Action implementation
affected?		Controls		
Staff Students Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	✓ If the person is well enough to go home, arrange for them to be transported home by a family member, as soon as possible and advise them to inform their general practitioner by phone of their symptoms. Public transport of any kind should not be used ✓ If they are too unwell to go home or advice is required, contact 999 or 112 and inform them that the sick person is a Covid-19 suspect. ✓ Carry out an assessment of the incident which will form part of determining follow-up actions and recovery. ✓ Arrange for appropriate cleaning of the isolation area and work areas involved.	Requires	Board of Management Principal Staff
isk Level Calculati a) Severity of risk/ b) Likelihood of ev c) Risk Rating = (a)	/injury 1=trivial, 2=slight, 3=mod vent 1=rare, 2=unlikely, 3=likely) X (b)	Risk Level Action erate, 4=major, 5=fatality 4, 4=very likely, 5=inevitable 5-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review i		ntrol

Who may be	Identified Risks	Covid-19 cle	eaning	Risk Rating	Action implementation
affected?		Control	ls	with controls	
Staff Students Visitors	suspected coronavirus (Covid-19) case. This vinfection on to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to for years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind of cough, not just a dry cough Shortness of breath or breathing difficulties Loss of sense of saste or distortion of sense of taste Death suspected coronavirus (Covid-19) case. This vinfection on to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other people The area should be kept closed and secure for amount of virus living on surfaces will have new to other protection sed mask, disponable double-bagged, then stored secure regular rubbish after cleaning proposes, wear a face mask, disponable double-bagged, then stored secure regular rubbish after cleaning is finished Using a disposable cloth, first clean hard surf disinfect these surfaces with the cleaning proposes, wear a face mask, disponable double-bagged, then stored secure regular rubbish after cleaning proposes, wear a face mask, disponable double-bagged, then stored secure regular rubbish after cleaning is finished Using a disposable cloth, first clean hard surf disinfect these surfaces with the cleaning proposes, wear a face mask, disponable double-bagged, then stored secure regular rubbish after cleani		is will reduce the risk of passing the e for 72 hours (if possible) fro cleaning as the e reduced significantly by 72 hours disposable or washing up gloves. These urely for 72 hours then thrown away in the urfaces with warm soapy water. Then products you normally use. Pay particular I surfaces, such as toilets, banisters on such as with visible bodily fluids, from a der using protection for the eyes, mouth and n r for 20 seconds and after removing gloves, eaning ual has passed through and spent minimal visibly contaminated with body fluids can	Serious Requires monitoring	Board of Management Principal Cleaning staff
sk Level Calculat) Severity of risk,) Likelihood of e) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mod vent 1=rare, 2=unlikely, 3=likely	rate, 4=major, 5=fatality , 4=very likely, 5=inevitable 1-5 6-10 11-1	Level Action Trivial risk Acceptable Medium risk Requires monitoring Severe risk Requires immediate furth Estimates the several review in the several revi		ntrol
		1-0-	is Emergency risk thate detivity and review in		

Who may be	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19	Risk Rating with controls	Action implementation
affected?		Controls		
Staff Students Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood	Use disposable cloths or paper roll and disposable mob heads to clean all hard surfaces, floors, chairs, door handles and sanitary fittings, using an approved and recognised detergent and disinfectant in line with the manufacturer's instructions for dilution, aplication and contact times Disinfectants used should be checked to ensure that they are effective against enveloped viruses Additionally:	Serious	Board of Management Principal Cleaning staff
pressure, diabetes or cancer		When items cannot be cleaned using detergents or laundered (upholstered furniture of mattresses for example) steam cleaning should be used Any items that have been heavily contaminated with bodyfluids and that cannot be cleaned by	Requires monitoring	
sk Level Calculation Severity of risk/it Likelihood of evoluments Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
sessment Date:	June, 2020	Assessor's Name:		

Who may be	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 (c	-	Risk Rating	Action implementation
affected?		Controls		with controls	
Staff Students Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	✓ Wash items in accordance with the manufacturer's instructions. U water setting and dry items completely. Dirty laundry that has bee an unwell person can be washed with other people's items. Do no laundry as this minimises the possibility of dispersing the virus thr ✓ Clean and disinfect anything used for transporting laundry with yo in line with the cleaning guidance outlined above Waste Management ✓ Waste should be put in a plastic rubbish bag and tied when full ✓ The plastic bag should then be placed in a second bin bag and tied ✓ It should be put in a suitable and secure place and marked for stor individual's test results are known ✓ All waste should be stored safely and kept away from children. Yowaste in communal waste areas until negative test results are known has been stored for at least 72 hours ✓ If the individual tests negative, the waste can be put in with the not individual tests positive, then store it for at least 72 hours and put waste	en in contact with ot shake dirty rough the air our usual products, d rage until the ou should not put own or the waste ormal waste. If the	Serious Requires monitoring	Board of Management Principal Cleaning staff
isk Level Calculation) Severity of risk/ion) Likelihood of evo) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik		uires monitoring ires immediate furthei		ntrol
ssessment Date:	June, 2020	Assessor's Name:			

Who may be	Identified Risks	Travel to and from work	Risk Rating	Action implementation
affected?		Controls	with controls	
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women			All staff
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death			
sk Level Calculati) Severity of risk/) Likelihood of ev) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	Risk Level Action Oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
sessment Date:	June, 2020	<u>Assessor's Name</u> :		

Who may be	Identified Risks	Dropping off and pick	ing up of students	Risk Rating	Action implementation
affected?		Controls		with controls	
Staff	 60 years of age and over have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer pregnant women Known effects of the coronavirus: A fever (high temperature of 	Arrangements for dropping off and picking up organised to maintain, as far as is reasonably drivers/parents/guardians and all school staff. Where students travel by public transport the Bo waiting area that supports social distancing meas weather. It expected that there will be pre-agreed Encourage parents/guardians to wait in the car of the Where SEN students are dropped off and picked adult should remain in the car/bus with the student and will accompanying adult. Subject to available space to arrive one at a time provided that those account do not interact with those accompanying followed for pick up.	practicable, a safe social distance between ard of Management will provide a designated ures. An indoor facility will be available in baded staggered arrival times for school buses. Butside of the school dup by a private bus/taxi, the accompanying ent. A designated staff member will come to avoid or limit physical contact with the there is no strict requirement for taxis/buses mpanying the student remain in the taxi/bus	Requires monitoring	Board of Management Principal Staff
isk Level Calculation a) Severity of risk/i b) Likelihood of even c) Risk Rating = (a)	 injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality 1-5 ely, 4=very likely, 5=inevitable 11- 11-	k Level Action Trivial risk Acceptable Medium risk Requires monitoring Severe risk Requires immediate furthe Ending Severe risk Halt activity and review in		ntrol
ssessment Date:	June, 2020	Ass	sessor's Name:		

Who may be	Identified Risks	Visitors to school		Risk Rating	Action implementation
affected?		Controls		with controls	
Staff Students Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will ensure the safety and wellbeing of premises. Visits to the school will be severely restricted and visitors will be asked to the school will be severely restricted and visitors will be asked to the school will be severely restricted and visitors will be asked to the school will be severely restricted and visitors will be asked to the school will be asked to the school will be asked to the school will be asked to severely restricted and visitors will be asked to the school	ool ooms lity	Requires monitoring	Board of Management Principal
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	ely, 4=very likely, 5=inevitable 6-10 Medium risk 11-15 Severe risk R	Acceptable Requires monitoring Requires immediate furth Halt activity and review ir		ntrol
Assessment Date:	June, 2020	Assessor's Name:			

Who may be	Identified Risks	Management of deliveries and	supplies to school	Risk Rating	Action implementation
affected?		Controls		with controls	
Staff Students Drivers Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	•	for collections and deliveries es conciliations are accurate	Requires monitoring	Board of Management Principal
sk Level Calculati) Severity of risk/) Likelihood of ev) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality 1, 4=very likely, 5=inevitable 11-15 S	el Action rivial risk Acceptable Medium risk Requires monitoring evere risk Requires immediate furth mergency risk Halt activity and review i		ntrol
ssessment Date:	June, 2020	Assesso	r's Name:		